

Chapter 2: Reproductive Health

	Tribal Health Region~	2004-2008 Alaska Native			2004-2008 Non-Native		
		%	95% CI		%	95% CI	
			Lower	Upper		Lower	Upper
Postpartum Birth Control Use graph on page 17	Arctic Slope^	69.5	57.1	79.6			
	Bristol Bay^	70.3	56.7	81.1			
	Interior	79.7	74.2	84.4	84.8	81.4	87.7
	Northwest Arctic	78.1	68.7	85.2			
	Norton Sound	73.6	65.6	80.2			
	Southcentral	78.3	76.0	80.4	85.8	84.1	87.3
	Southeast	81.2	75.1	86.1	88.6	83.6	92.2
	Yukon-Kuskokwim	70.6	66.5	74.4			
Live Births Despite Use of Birth Control graph on page 19	Arctic Slope^	28.3	18.3	41.0			
	Bristol Bay^	19.5	10.9	32.2			
	Interior	24.6	19.8	30.1	24.2	20.6	28.2
	Northwest Arctic	17.1	11.0	25.7			
	Norton Sound	17.8	12.3	25.2			
	Southcentral	25.8	23.6	28.2	24.4	22.5	26.5
	Southeast	22.6	17.4	28.7	26.4	20.7	32.9
	Yukon-Kuskokwim	20.0	16.8	23.7			
Unintended Pregnancy Among Women Delivering Live Births graph on page 23	Arctic Slope^	47.0	34.5	59.8			
	Bristol Bay^	54.5	40.0	68.3			
	Interior	46.8	40.8	52.9	37.1	32.9	41.5
	Northwest Arctic	46.2	36.6	56.0			
	Norton Sound	60.4	52.1	68.1			
	Southcentral	49.2	46.5	51.8	39.8	37.6	42.1
	Southeast	48.8	41.9	55.8	34.8	28.5	41.6
	Yukon-Kuskokwim	56.3	52.0	60.6			

Chapter 3: Prenatal Health

	Tribal Health Region~	2004-2008 Alaska Native			2004-2008 Non-Native		
		%	95% CI		%	95% CI	
			Lower	Upper		Lower	Upper
HIV Test During Pregnancy or Delivery graph on page 29	Arctic Slope^	81.2	68.0	89.8			
	Bristol Bay^	69.5	54.0	81.6			
	Interior	76.1	69.6	81.6	71.4	66.8	75.5
	Northwest Arctic	68.2	57.9	77.1			
	Norton Sound	70.6	61.7	78.2			
	Southcentral	80.1	77.8	82.2	68.4	66.0	70.6
	Southeast	77.2	70.4	82.9	59.2	51.8	66.2
	Yukon-Kuskokwim	77.9	73.9	81.5			
Prenatal WIC Participation graph on page 33	Arctic Slope^	85.9	75.0	92.5			
	Bristol Bay^	76.4	62.9	86.1			
	Interior	81.4	76.2	85.8	42.8	38.5	47.2
	Northwest Arctic	83.9	75.4	89.9			
	Norton Sound	76.8	69.2	83.0			
	Southcentral	63.7	61.2	66.2	44.5	42.2	46.8
	Southeast	69.9	63.3	75.6	29.5	23.6	36.2
	Yukon-Kuskokwim	67.9	63.8	71.7			

~ See Glossary page 101 for definition

^ Data may be unreliable. Number of respondents was at least 30 but less than 60.

95% CI = 95% Confidence Interval

Chapter 4: Prenatal Substance Use

	Tribal Health Region~	2004-2008 Alaska Native			2004-2008 Non-Native		
		%	95% CI		%	95% CI	
			Lower	Upper		Lower	Upper
Prenatal Cigarette Use (Last 3 Months)							
graph on page 37	Arctic Slope^	54.6	41.7	66.8			
	Bristol Bay^	56.3	42.2	69.4			
	Interior	23.7	18.9	29.2	14.0	11.2	17.4
	Northwest Arctic	47.6	38.1	57.4			
	Norton Sound	59.1	50.6	67.0			
	Southcentral	29.5	27.1	31.9	10.4	9.0	11.8
	Southeast	17.6	13.0	23.5	10.0	6.6	15.0
	Yukon-Kuskokwim	21.1	17.7	24.8			
Prenatal Spit Tobacco or Iqimik Use							
graph on page 41	Arctic Slope^	1.3	0.5	3.2			
	Bristol Bay^	15.3	8.1	26.8			
	Interior	3.2	1.7	5.9	0.4	0.2	1.9
	Northwest Arctic	0.0					
	Norton Sound	13.1	8.5	19.8			
	Southcentral	10.3	8.9	11.9	0.7	0.4	1.2
	Southeast	0.0			0.5	0.1	2.8
	Yukon-Kuskokwim	57.7	53.4	61.9			
Prenatal Marijuana Use							
graph on page 43	Arctic Slope^	24.4	15.3	36.7			
	Bristol Bay^	14.8	7.5	27.2			
	Interior	6.5	4.1	10.2	2.0	1.1	3.7
	Northwest Arctic	15.4	9.4	24.2			
	Norton Sound	13.7	8.9	20.6			
	Southcentral	8.7	7.3	10.2	4.6	3.7	5.7
	Southeast	9.3	6.0	14.2	7.7	4.6	12.6
	Yukon-Kuskokwim	8.9	6.8	11.7			

Chapter 5: Maternal Health

	Tribal Health Region~	2004-2008 Alaska Native			2004-2008 Non-Native		
		%	95% CI		%	95% CI	
			Lower	Upper		Lower	Upper
Symptoms of Maternal Depression							
graph on page 51	Arctic Slope^	41.2	29.7	53.8			
	Bristol Bay^	33.3	21.8	47.1			
	Interior	34.4	28.9	40.4	25.0	21.3	29.0
	Northwest Arctic	34.6	25.8	44.5			
	Norton Sound	47.2	38.9	55.6			
	Southcentral	29.8	27.4	32.2	25.5	23.5	27.6
	Southeast	28.5	22.7	35.1	21.6	16.4	27.9
	Yukon-Kuskokwim	38.5	34.3	42.9			
Ever Had Teeth Cleaned							
graph on page 57	Arctic Slope^	76.4	64.2	85.4			
	Bristol Bay^	67.6	53.7	78.9			
	Interior	91.8	87.9	94.5	95.7	93.6	97.2
	Northwest Arctic	74.3	64.6	82.0			
	Norton Sound	73.1	65.2	79.8			
	Southcentral	86.3	84.4	87.9	94.8	93.7	95.8
	Southeast	92.7	88.1	95.6	96.3	92.3	98.3
	Yukon-Kuskokwim	66.7	62.5	70.6			

~ See Glossary page 101 for definition

^ Data may be unreliable. Number of respondents was at least 30 but less than 60.

95% CI = 95% Confidence Interval

Chapter 6: Infant Health

Well-baby Checkups
 graph on page 69

Tribal Health Region~	2004-2008 Alaska Native			2004-2008 Non-Native		
	%	95% CI		%	95% CI	
		Lower	Upper		Lower	Upper
Arctic Slope^	95.0	83.8	98.6			
Bristol Bay^	100.0					
Interior	97.9	95.1	99.1	96.2	94.1	97.6
Northwest Arctic	95.5	88.1	98.4			
Norton Sound	99.8	99.4	99.9			
Southcentral	96.7	95.6	97.5	97.3	96.4	97.9
Southeast	94.9	90.9	97.2	93.1	88.7	95.9
Yukon-Kuskokwim	90.8	87.9	93.1			

~ See Glossary page 101 for definition

^ Data may be unreliable. Number of respondents was at least 30 but less than 60.

95% CI = 95% Confidence Interval